



PRODUCT CATALOGUE

AIR FILTERS

 fibreglasswool.com





FINE FILTERS

Technical Data

AHRAE 52.2 CLASS	MERV 9/ MERV 10/ MERV 11/ MERV 12/ MERV13
EN779:2012 CLASS	M5/ M6/ F7
MEDIA	SYNTHETIC IMPORTED
TYPE	BOX/ FLANGE/ PLEATED/ ROD
FRAME	ALUNUM/ GI/ SS 304
WASHABLE	NOT WASHABLE
GASKET	XLPE/ NEOPRENE
OPERATING CONDITION	UPTO 70 DEG. CEL. & 100% RH



BAG FILTERS

Technical Data

AHRAE 52.2 CLASS	MERV 11/ MERV 12/ MERV13/ MERV15/MERV16
EN779:2012 CLASS	M6/ F7/ F8/ F9
MEDIA	SYNTHETIC IMPORTED
TYPE	BOX/ FLANGE
FRAME	ALUNIUUM/ GI/ SS 304
GASKET	XLPE/ NEOPRENE
OPERATING CONDITION	UPTO 70 DEG. CEL. & 100% RH



V-BANK

Technical Data

EN779:2012 CLASS	F7/ F8/ E10/ E12/ H13
MEDIA	GLASS FIBRE
TYPE	HEADER TYPE
FRAME	ABS/ HIPS
GASKET	XLPE/ NEOPRENE
OPERATING CONDITION	UPTO 60 DEG. CEL. & 70% RH



DEEP PLEAT HEPA FILTER

Technical Data

EN1822	H13/ H14
MEDIA	SUB MICROSCOPIC GLASS FIBRE PAPER
SEPERATOR	CORRUGATED ALUMINIUM FOIL
TYPE	BOX/ FLANGE
FRAME	ALUNIUUM/ SS 304
GASKET	XLPE/ NEOPRENE/ EPDM
OPERATING CONDITION	UPTO 60 DEG. CEL. & 70% RH



MINI PLEAT HEPA FILTER

Technical Data

EN1822	E10-H14
MEDIA	SUB MICROSCOPIC GLASS FIBRE PAPER WITH CORRUGATED ALUMINIUM FOIL
SEPERATOR	HOT MELT
TYPE	BOX/ FLANGE
FRAME	ALUNIUUM/ SS 304
GASKET	XLPE/ NEOPRENE
OPERATING CONDITION	UPTO 60 DEG. CEL. & 70% RH



HEPA TERMINAL DOUBLE

Technical Data

EN1822	H13/ H14
MEDIA	SUB MICROSCOPIC GLASS FIBRE PAPER WITH CORRUGATED ALUMINIUM FOIL
FRAME	ALUNIUIM/ SS 304
GASKET	XLPE/ NEOPRENE
OPERATING CONDITION	UPTO 60 DEG. CEL. & 70% RH



FAN FILTER UNIT (FFU)

Technical Data

HOUSING MATERIAL	GALVANIZED SHEET/ ALUMINIUM SHEET/ AI EXTRUDED WITH POWDER COATING
POWER SUPPLY	220V 1 PHASE 50/60 Hz
AIR VELOCITY	0.3-0.5 m/s
TOTAL STATIC PRESSURE	TSP 11 mmWG
NOISE LEVEL (dBA)	≤70

COMPLETE INSULATION SOLUTIONS



📍 A/112, Sagar Tech Plaza, Andheri
(E), Mumbai-400072,
Maharashtra, India.

☎ Customer Service: +91 022-28520731/32

✉ info@fibreglasswool.com