

PRODUCT CATALOGUE

FIBREGLASS CLOTH

 fibreglasswool.com



Specifications

- **3MIL:**

WIDTH = 1M

YARN CONSTRUCTION = 34X34

TEMPERATURE = 100 DEG CEL.

- **5MIL (0.13MM):**

WIDTH = 1M

YARN = 64X34

TEMPERATURE = 150 DEG CEL.

GSM = 110 GSM

- **7MIL (0.18MM):**

WIDTH = 1M

YARN CONSTRUCTION = 42X30

TEMPERATURE = 200 DEG CEL.

GSM = 200 (+-5%) GSM

- **10MIL (0.25MM):**

WIDTH = 1M

YARN CONSTRUCTION = 30X30

TEMPERATURE = 300 DEG CEL.

GSM = 300 (+-5%) GSM

- **15MIL (0.35MM):**

WIDTH = 1M

YARN CONSTRUCTION = 48X32

TEMPERATURE = 400 DEG CEL.

GSM = 420 (+-5%) GSM

- **20MIL (0.50MM):**

WIDTH = 1M

YARN CONSTRUCTION = 30X30

TEMPERATURE = 600 DEG CEL.

GSM = 600 (+-5%) GSM

- **1.00MM:**

WIDTH = 1M

TEMPERATURE = 400 DEG CEL.


GSM = 600 DEG CEL.




H.D. GAJRA BROS.
COMPLETE INSULATION SOLUTIONS

COMPLETE INSULATION SOLUTIONS



 A/112, Sagar Tech Plaza, Andheri
(E), Mumbai-400072,
Maharashtra, India.

 Customer Service: +91 022-28520731/32

 info@fibreglasswool.com